

CERTIFICATE

Issued to:
Applicant:
Niko N.V.
Industriepark West 40
9100 Sint-Niklaas, Belgium

Licensee:
Niko N.V.
Industriepark West 40
9100 Sint-Niklaas, Belgium

Product : connected switched socket-outlet with side earthing-contacts
Trade name(s) : NIKO
Type(s)/model(s) : 170-34605 + xxx-66930

The product and any acceptable variation thereto is specified in the Annex to this certificate and the documents therein referred to.

DEKRA hereby declares that the above-mentioned product has been certified on the basis of:

- a type test according to the standard(s) NEN 1020:2019, NEN-IEC 60884-1:2019, NEN-IEC 60884-1:2019/A1:2019, NEN-IEC 60884-1:2019/A2:2019, EN 60669-2-1:2004, EN 60669-2-1:2004/A12:2010 and EN 60669-2-1:2004/A1:2009
- an inspection of the factory location according to CENELEC Operational Document CIG 021
- a DEKRA certification agreement with the number 900367


DEKRA hereby grants the right to use the KEMA-KEUR certification mark.

The KEMA-KEUR certification mark may be applied to the product as specified in this certificate for the duration and under the conditions of the KEMA-KEUR certification agreement.


This certificate is issued on 3 August 2021 and expires upon withdrawal of one of the above mentioned standards.

Certificate number: 71-120048

DEKRA Certification B.V.



B.T.M. Holtus
Managing Director



C. Lin
Certification Manager

© Integral publication of this certificate is allowed

ACCREDITED BY THE
DUTCH ACCREDITATION
COUNCIL



SPECIFICATION OF THE CERTIFIED PRODUCT**Product data**

Product	: connected switched socket-outlet with side earthing-contacts
Trade name(s)	: NIKO
Type(s)/model(s)	: 170-34605 + xxx-66930
Rated current	: 16 A
Rated voltage	: 230 V~
Method of mounting	: flush-type; screw fixing
Terminals	: screwless terminals
Degree of protection	: increased protection IP2X-D
Description	: safety socket-outlet
Series	: A, B, C, D, E, F, G
Markings	: tradename, series-indication and electrical ratings on the base

TESTS**Test requirements**

NEN 1020:2019
NEN-IEC 60884-1:2019
NEN-IEC 60884-1:2019/A1:2019
NEN-IEC 60884-1:2019/A2:2019
EN 60669-2-1:2004
EN 60669-2-1:2004/A12:2010
EN 60669-2-1:2004/A1:2009

Test result

The test results are laid down in DEKRA test file 225774200.

Conclusion

The examination proved that all requirements were met.

Factory location

Niko N.V.
Industriepark West 40
9100 Sint-Niklaas, Belgium

Type References

170-34605 + XXX-66930 connected switched 2P socket-outlet with side earthing, screwless-type terminals
and with shutters, screw fixing

Cover plates

A1	Single cover plate serie A, Duoshell (bottom shell: PC/ASA / top shell: zamac; PC/ASA)
A2-71	Double cover plate center 71mm serie A, Duoshell (bottom shell: PC/ASA / top shell: zamac; PC/ASA)
A3-71	Triple cover plate center 71mm serie A, Duoshell (bottom shell: PC/ASA / top shell: zamac; PC/ASA)
A4-71	Quadruple cover plate center 71mm serie A, Duoshell (bottom shell: PC/ASA / top shell: zamac; PC/ASA)
A5-71	Quintuple cover plate center 71mm serie 1, Duoshell (bottom shell: PC/ASA / top shell: zamac; PC/ASA)
B1	Single cover plate serie B, monoshell (PC/ASA)
B1+*090	Single cover plate serie B, monoshell (PC/ASA) with lens and label holder
B2-71	Double cover plate center 71mm serie B, monoshell (PC/ASA)
B2-71 + *090 horizontal	Double cover plate center 71mm serie B, monoshell (PC/ASA) with lens and label holder oriented horizontal
B2-71+ *090 vertical	Double cover plate center 71mm serie B, monoshell (PC/ASA) with lens and label holder oriented vertical
B3-71	Triple cover plate center 71mm serie B, monoshell (PC/ASA)
B3-71 + *090 horizontal	Triple cover plate center 71mm serie B, monoshell (PC/ASA) with lens and label holder oriented horizontal
B3-71 + *090 vertical	Triple cover plate center 71mm serie B, monoshell (PC/ASA) with lens and label holder oriented vertical
B4-71	Quadruple cover plate center 71mm serie B, monoshell (PC/ASA)
B4-71 + *090 horizontal	Quadruple cover plate center 71mm serie B, monoshell (PC/ASA) with lens and label holder oriented horizontal
B4-71 + *090 vertical	Quadruple cover plate center 71mm serie B, monoshell (PC/ASA) with lens and label holder oriented vertical
B5-71	Quintuple cover plate center 71mm serie B, monoshell (PC/ASA)
C1	Single cover plate serie C, Duoshell (bottom shell: PC/ASA / top shell: inox; metal; forbo; plexi; aluminium; brass; PU+PA; PU)
C2-71	Double cover plate center 71mm serie C, Duoshell (bottom shell: PC/ASA / top shell: inox; metal; forbo; plexi; aluminium; brass; PU+PA; PU)
C3-71	Triple cover plate center 71mm serie C, Duoshell (bottom shell: PC/ASA / top shell: inox; metal; forbo; plexi; aluminium; brass; PU+PA; PU)
C4-71	Quadruple cover plate center 71mm serie C, Duoshell (bottom shell: PC/ASA / top shell: inox; metal; forbo; plexi; aluminium; brass; PU+PA; PU)
C5-71	Quintuple cover plate center 71mm serie C, Duoshell (bottom shell: PC/ASA / top shell: inox; metal; forbo; plexi; aluminium; brass; PU+PA; PU)
D1	Single cover plate serie D, Duoshell (bottom shell: PC/ASA / top shell: bamboo; aluminium)
D2-71	Double cover plate center 71mm serie D, Duoshell (bottom shell: PC/ASA / top shell: bamboo; aluminium)
D3-71	Triple cover plate center 71mm serie D, Duoshell (bottom shell: PC/ASA / top shell: bamboo; aluminium)
D4-71	Quadruple cover plate center 71mm serie D, Duoshell (bottom shell: PC/ASA / top shell: bamboo; aluminium)
D5-71	Quintuple cover plate center 71mm serie D, Dhuoshell (bottom shell: PC/ASA / top shell: bomboo; aluminium)
E1	Single cover plate serie E, monoshell (PC-ASA)
E2-71	Double cover plate center 71mm serie E, monoshell (PC-ASA)
E3-71	Triple cover plate center 71mm serie E, monoshell (PC-ASA)
E4-71	Quadruple cover plate center 71mm serie E, monoshell (PC-ASA)
E5-71	Quintuple cover plate center 71mm serie E, monoshell (PC-ASA)
F1	Single cover for surface mounting (PC-ASA)
F2	Double cover for surface mounting (PC-ASA)
G1	Single cover plate series G (PF with optional shell PU, resin + sand)
G2-71	Double cover plate center 71mm series G (PF with optional shell: PU, resin + sand)
G3-71	Triple cover plate center 71mm series G (PF with optional shell: PU, resin + sand)

The cover plates are produced in different colours. These series have been tested with various colours to cover the complete spectrum.