



# **CERTIFICATE**

## **FOR EUROPEAN PRODUCT SAFETY**

Reference No. SE-S-2400280

### Socket-outlet with screw or screw-less terminals

**Type designation:** 170-34100+\*\*\*-66901, 170-34200+\*\*\*-66901,  
170-34300+\*\*\*-66901, 170-34400+\*\*\*-66901

**Certificate holder:** NIKO N.V.  
Industriepark West 40  
9100 St Niklaas  
BELGIUM

**The product complies with the standard(s):** IEC 60884-1:2002+A1+A2  
SS 428 08 34:2013+T1

**Date of expiry:** 19 March, 2029

Additional information in Appendix

**Certification Body:** Intertek Semko AB, Product Certification **Place:** Kista - Stockholm

**Signed:**

Anneli Averland Johansson

**Date:** 02 April, 2024

This Certificate is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Certificate. Only the Client is authorized to permit copying or distribution of this Certificate and then only in its entirety. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek.

## APPENDIX:

Reference No. SE-S-2400280

### Technical Data:

Type designation	170-34100+***-66901, 170-34200+***-66901, 170-34300+***-66901, 170-34400+***-66901
Rated voltage (V)	250 VAC
Rated current (A)	16A
IP-Class	IP20
Rated connecting cap	1,5-2,5 mm <sup>2</sup>
Standard sheet	III
Trademark	<b>niko</b>
Test Report	629410.01_SMT 18-001, 2401617STO-001
Product information	2P+E flush-mounted socket-outlet. Screw or screw-less terminals. With or without shutters. If the socket-outlet is installed in a metal box, a clearance between live parts and the metal box of minimum 4,5 mm must be considered.

### REFERENCE LIST: SOCKET-OUTLETS

Frame 71/71: vertical 71mm / horizontal 71mm:

#### SCREW TERMINALS

170-34100+***-66901	2P with side-earthing, screw-type terminals and with shutters
170-34200+***-66901	(mounting depth=28,5 mm).

#### SCREWLESS TERMINALS

170-34300+***-66901	2P with side-earthing, screwless-type terminals and with shutters
170-34400+***-66901	(mounting depth=28,5 mm).

Intertek

## APPENDIX:

Reference No. SE-S-2400280

### Cover plates:

- A1 single cover plate serie A, Duoshell (bottom shell: PC/ASA / top shell: zamac; PC/ASA)
- A2-71 double cover plate center 71mm serie A, Duoshell (bottom shell: PC/ASA / top shell: zamac; PC/ASA)
- A3-71 triple cover plate center 71mm serie A, Duoshell (bottom shell: PC/ASA / top shell: zamac; PC/ASA)
- A4-71 quadruple cover plate center 71mm serie A, Duoshell (bottom shell: PC/ASA / top shell: zamac; PC/ASA)
- A5-71 quadruple cover plate center 71mm serie A, Duoshell (bottom shell: PC/ASA / top shell: zamac; PC/ASA)
- B1 single cover plate serie B, monoshell (PC-ASA)
- B2-71 double cover plate center 71mm serie B, monoshell (PC-ASA)
- B3-71 triple cover plate center 71mm serie B, monoshell (PC-ASA)
- B4-71 quadruple cover plate center 71mm serie B, monoshell (PC-ASA)
- B5-71 quadruple cover plate center 71mm serie B, monoshell (PC-ASA)
- C1 single cover plate serie C, Duoshell (bottom shell: PC/ASA / top shell: inox; metal; forbo; plexi; aluminium; brass; PU+PA; PU)
- C2-71 double cover plate center 71mm serie C, Duoshell (bottom shell: PC/ASA / top shell: inox; metal; forbo; plexi; aluminium; brass; PU+PA; PU)
- C3-71 triple cover plate center 71mm serie C, Duoshell (bottom shell: PC/ASA / top shell: inox; metal; forbo; plexi; aluminium; brass; PU+PA; PU)
- C4-71 quadruple cover plate center 71mm serie C, Duoshell (bottom shell: PC/ASA / top shell: inox; metal; forbo; plexi; aluminium; brass; PU+PA; PU)
- C5-71 quadruple cover plate center 71mm serie C, Duoshell (bottom shell: PC/ASA / top shell: inox; metal; forbo; plexi; aluminium; brass; PU+PA; PU)
- D1 single cover plate serie D, Duoshell (bottom shell: PC/ASA / top shell: bamboo; aluminium)
- D2-71 double cover plate center 71mm serie D, Duoshell (bottom shell: PC/ASA / top shell: bamboo; aluminium)
- D3-71 triple cover plate center 71mm serie D, Duoshell (bottom shell: PC/ASA / top shell: bamboo; aluminium)
- D4-71 quadruple cover plate center 71mm serie D, Duoshell (bottom shell: PC/ASA / top shell: bamboo; aluminium)
- D5-71 quadruple cover plate center 71mm serie D, Duoshell (bottom shell: PC/ASA / top shell: bamboo; aluminium)
- E1 single cover plate series E, monoshell (PC-ASA)
- E2-71 double cover plate center 71mm series E, monoshell (PC-ASA)
- E3-71 triple cover plate center 71mm series E, monoshell (PC-ASA)
- E4-71 quadruple cover plate center 71mm series E, monoshell (PC-ASA)
- E5-71 quintuple cover plate center 71mm series E, monoshell (PC-ASA)
- G1 single cover plate series G (PF, optional top shell: PU, resin+sand)
- G2-71 double cover plate center 71mm series G (PF, optional top shell: PU, resin+sand)
- G3-71 triple cover plate center 71mm series G (PF, optional top shell: PU, resin+sand)

The covers are made in different colours. These series have been tested with various colours, to cover the complete spectrum.

## APPENDIX:

Reference No. SE-S-2400280

**Manufacturing Sites:** NIKO N.V.  
Industriepark West 40  
9100 St Niklaas  
BELGIUM

This certificate is based on CB with ref. No. BE-8198 dated 2018-05-02, issued by SGS.

This certificate replaces previously issued ref. No. 1909236 dated 24 May 2019. A new certificate has been issued on account of renewal.



**Certification Body:** Intertek Semko AB, Product Certification **Place:** Kista - Stockholm

**Signed:**  **Date:** 02 April, 2024

Anneli Averland Johansson