Twofold faceplate with 71 mm centre distance, Niko Pure stainless steel on anthracite

150-76800

Twofold faceplate with 71 mm centre distance from the range Niko Pure. Niko Pure stainless steel on anthracite

Technical data

Twofold faceplate with 71 mm centre distance, Niko Pure stainless steel on anthracite.

- Double faceplate for two switches.
- Colour: stainless steel on anthracite (approximately NCS S 5502 Y, RAL 9006)
- Frame composition: It consists of an upper frame and lower frame that are mechanically interconnected.
- Material upper frame: The upper frame is made of brushed stainless steel.
- Material lower frame: The lower frame is made of dark grey polycarbonate (PC) + acrylic-styrene-acrylate (ASA).
- Frame thickness: The upper frame is 2 mm thick and the lower fame 6 mm.
- Centre-to-centre distance: 71 mm
- Surface-mounting height: max. 8.5 mm
- Fire safety
 - self-extinguishing: complies with a filament test of 650°C
 - halogen-free
- Protection degree: IP41 for the combination of a mechanism, central plate and faceplate
- Impact resistance: The combination of a mechanism, a central plate and a faceplate has an impact resistance of IK06
- Dimensions (HxWxD): 83 x 154 x 8.9 mm
- Certification marks: CEBEC, KEMA, ÖVE, SEMKO, NF
- Marking: CE

CE



4 year warranty



www.niko.eu