OVE Austrian Electrotechnical Association Eschenbachgasse 9 | 1010 Wien | Austria ZVR: 327279890 | www.ove.at

OVE Certification Kahlenberger Str. 2A | 1190 Wien | Austria T +43 1 370 58 06 | certification@ove.at

Validity of ÖVE-Certificates can be checked at www.ove.at



Page 1 of 5



including the entitlement to use the Austrian Safety Mark



Certificate No.: 9460-014-08 Valid from: 2023 02 16 until: 2025 02 16

The Austrian Electrotechnical Association (OVE) hereby grants the right to the company mentioned below to label the listed products with the Austrian Safety Mark.

NIKO N.V. Company: Industriepark-West 40 9100 Sint-Niklaas Belgium

Switches for household and similar fixed installations, Series HYDRO Product:

The products submitted by the applicant were type tested in accordance with the requirements of the technical standards and specifications listed in this certificate. OVE certifies the conformity of the listed products and those products manufactured strictly identical to the submitted ones (EN ISO/IEC 17067, Conformity Assessment Scheme Type 5).

The manufacturing process and the products are subject to ongoing surveillance based on harmonized European procedures. This certificate has been issued under the presumption and conditional on the fact that the applicant holds all necessary legal rights with regard to the product, presented for the testing and certification.

Results of testing are shown in file No(s).: 3444-1563/10-NA1

Österreichischer Verband für Elektrotechnik Head of OVE Certification



Digitally signed by T. Neumayer T. Neumayer Digitally signed by I. Neumayer Email=t neumayer@ove.at Dipl.-Ing. T. Neumayer

Wien, 2023 02 06

OVE Certification

⁵0902 ISO/IEC 1706



Certificate No.: 9460-014-08 Date: 2023 02 06 Page 2 of 5

Manufacturer:

NIKO N.V. Industriepark-West 40 9100 Sint-Niklaas Belgium

Factory location(s):

NIKO N.V. Industriepark-West 40 9100 Sint-Niklaas Belgium

Tested and certified according to:

OVE EN 60669-1:2019-04-01

This certificate is the basis for the EU Declaration of Conformity and the CE Marking by the manufacturer or his agent and shows the conformity of the certified product(s) with the listed standards as defined by the **EU Low-Voltage Directive 2014/35/EU**. For the presumption of conformity according to Art. 12 with the safety objectives according to Art. 3 of the Directive, transitional periods given in the Official Journal of the European Union have to be observed.

Product: Switches for household and similar fixed installations, Series HYDRO

Type designation: Rating:	Trademark:
7**-31200+-31 Rated voltage: AC 250 V Rated current: 10 AX IP55 pattern 2 + single actuating member	ΝΙΚΟ
7**-31300+-31 Rated voltage: AC 250 V Rated current: 16 AX IP55 pattern 2 16A + single actuating member	NIKO
7**-31600+-31 Rated voltage: AC 250 V Rated current: 10 AX IP55 pattern 6 + single actuating member	ΝΙΚΟ





7**-31616+-31

Certificate No.: 9460-014-08 Date: 2023 02 06 Page 3 of 5

NIKO

Rated voltage: AC 250 V Rated current: 16 AX IP55 pattern 6 16A + single actuating member	ΝΙΚΟ
7**-31700+-31 Rated voltage: AC 250 V Rated current: 10 AX IP55 pattern 7 + single actuating member	NIKO
7**-31500+-350 Rated voltage: AC 250 V Rated current: 10 AX IP55 pattern 5 + double actuating member	NIKO
7**-32600+-350 Rated voltage: AC 250 V Rated current: 10 AX IP55 pattern 6+6 + double actuating member	NIKO
7**-31200+-37 Rated voltage: AC 250 V Rated current: 10 AX IP55 pattern 2 (control) + single actuating member	NIKO
7**-37600+-37 Rated voltage: AC 250 V Rated current: 10 AX IP55 pattern 6 (control) + single actuating member	NIKO
7**-35900+-350 Rated voltage: AC 250 V Rated current: 10 AX IP55 pattern 4 + double actuating member	NIKO
7**-35910+-350 Rated voltage: AC 250 V Rated current: 10 A IP55 pattern 4 2xpush-button + double actuating member	NIKO
7**-33000+-37 Rated voltage: AC 250 V Rated current: 10 A IP55 pattern 6 push-button + single actuating member	NIKO



. 0	VE
	Austrian Electrotechnical Association

Certificate No.: 9460-014-08 Date: 2023 02 06 Page 4 of 5

7**-33000+-31 Rated voltage: AC 250 V Rated current: 10 A IP55 pattern 6 push-button + single actuating member	NIKO
7**-35000+-350 Rated voltage: AC 250 V Rated current: 10 A IP55 pattern 6 push-button+6 push-button + double actuating member	NIKO er
7**-35000+-351 Rated voltage: AC 250 V Rated current: 10 A IP55 pattern 6 push-button+6 push-button + double actuating member	NIKO er





Certificate No.: 9460-014-08 Date: 2023 02 06 Page 5 of 5

Boxes

7**-75000 horizontal flush mounting box for 2 functions	7**-83101 7**-83201 7**-84101 7**-84102 7**-84102 7**-84201 7**-84201 7**-84202 7**-84202 7**-84202 7**-84302 7**-84801 7**-84802 7**-84802 7**-84902 7**-73000 7**-74000 7**-75000	surface mounting box for 1 function with membranes vertical surface mounting box for 2 functions with membranes surface mounting box for 1 function with 1 M20 entry surface mounting box for 1 function with 2x1 M20 entry surface mounting box for 1 function with 1x2 M20 entries surface mounting box for 1 function with 1x2 M20 entries + 1 M20 entry vertical surface mounting box for 2 functions with 1 M20 entry vertical surface mounting box for 2 functions with 2x1 M20 entry vertical surface mounting box for 2 functions with 1x2 M20 entries vertical surface mounting box for 2 functions with 1x2 M20 entries vertical surface mounting box for 2 functions with 1x2 M20 entries vertical surface mounting box for 2 functions with 1x2 M20 entries horizontal surface mounting box for 3 functions with 1x2 M20 entries horizontal surface mounting box for 2 functions with 1x2 M20 entries horizontal surface mounting box for 2 functions with 1x2 M20 entries horizontal surface mounting box for 3 functions with 1x2 M20 entries horizontal surface mounting box for 3 functions with 1x2 M20 entries horizontal surface mounting box for 2 functions with 1x2 M20 entries horizontal surface mounting box for 2 functions with 1x2 M20 entries horizontal surface mounting box for 2 functions with 1x2 M20 entries horizontal surface mounting box for 3 functions with 1x2 M20 entries horizontal surface mounting box for 2 functions with 1x2 M20 entries horizontal surface mounting box for 3 functions with 1x2 M20 entries horizontal surface mounting box for 3 functions with 1x2 M20 entries horizontal surface mounting box for 2 functions with 1x2 M20 entries horizontal surface mounting box for 3 functions with 1x2 M20 entries flush mounting box for 1 function vertical flush mounting box for 2 functions
---	--	--

7** can refer to the following colours:

- 700: grey
- 701: white
- 761: black