

# Twofold faceplate with 71 mm centre distance, Niko Pure liquid snow white

241-76800

4 year  
warranty

Twofold faceplate with 71 mm centre distance from the range Niko Pure. Niko Pure liquid snow white

## Technical data

Twofold faceplate with 71 mm centre distance, Niko Pure liquid snow white.

- Double faceplate for two switches.
- Colour: enamelled liquid snow white (approximately NCS S 0300 - N, RAL 9003)
- Frame composition: It consists of an upper frame and lower frame that are mechanically interconnected.
- Material upperframe: The upperframe is made of hard-coated PMMA.
- Material lower frame: The lower frame is made of white polycarbonate (PC) + acrylic-styrene-acrylate (ASA).
- Frame thickness: The upper frame is 2 mm thick and the lower fame 6 mm.
- Centre-to-centre distance: 71 mm
- Surface-mounting height: max. 8.5 mm
- Fire safety
  - completely self-extinguishing faceplate
  - complies with a filament test of 650 °C
- Protection degree: IP41 for the combination of a mechanism, central plate and faceplate
- Impact resistance: The combination of a mechanism, a central plate and a faceplate has an impact-resistance of IK06
- Dimensions (HxWxD): 83 x 154 x 8.9 mm
- Certification marks: CEBEC, KEMA, ÖVE, SEMKO, NF
- Marking: CE



CE

[www.niko.eu](http://www.niko.eu)

**niko**

241-76800 - 28-03-2024