



Niko Hydro

Safety, comfort and design
in every type of weather

niko

Niko Hydro

Bring the indoors outdoor

An outdoor socket outlet under your carport, a light switch on the wall of your shed or an audio connection on the patio? Meet Niko Hydro, a range of switches, sockets and data connections that are certified splashproof (IP55). This means they can be installed wherever you like. Whether it is outside on your terrace, in your laundry room, or even around your swimming pool.

Designed to withstand wet weather and occasional splashes, Niko safely powers your outdoor environment without compromising on comfort or style. No matter which switch or socket outlet you're looking for, you'll find them all in the Niko Hydro range — in black, white or grey.

Bring the indoors outside with Niko Hydro, without compromising on safety, comfort or design.





IP55

complete range of IP55
splashproof switching material

IK07

sturdy and impact-
resistant: IK07



highly resistant
to chemicals



adapter frame for
media connections



quick and easy
to assemble



The same method of wiring as
switches and sockets
for indoor use



Easy to install, easy to use

Whether you're working with walls or open spaces, Niko Hydro allows you to safely install your switching material wherever you need it. Even when drilling a hole in the wall isn't an option, or no walls are available. Every Niko Hydro product can be surface-mounted, flush-mounted, or incorporated into a free-standing garden post.

The Niko Hydro range offers a wide array of functions that can be installed anywhere in your garden or on your terrace. This includes 16 A switches, socket outlets, signalling devices, bike charging stations, and key switches. Thanks to a sleek adapter frame, you can even safely install data connections and USB chargers outside.

Whatever your setup is, you will find a solution that blends seamlessly into any environment, combining functionality with design. This flexibility makes it easier than ever to bring the inside outdoors.

Choose your wall mounting

All Niko Hydro products can be easily flush-mounted or surface-mounted on your walls. Choose the colour - black, white, or traditional grey - and the function that works best for your environment. Each solution accommodates up to two (flush-mounting) or three (surface-mounting), making it ideal for running multiple appliances at the same time.

Flush-mounting boxes

[Installation in stone walls and panels](#)



Surface-mounting boxes

[Installation on any type of wall](#)



Niko Hydro garden post

Electricity in the garden is no longer a luxury. Power your robotic lawn mower, garden lights, or electric tools effortlessly with the Niko Hydro garden post. Holding up to three functions, it combines durability with modern design. Its grey, white, or black colours and stainless-steel design match any garden, patio, or driveway.

Looking for a more basic option? The Niko Hydro garden post essential with double sockets offers an accessible solution for anywhere in your garden.



Garden post with spike

Mounting with spike

You can easily install the Niko Hydro garden post in outdoor areas with soft surfaces such as grass or flower beds, thanks to a spike that can be driven into the ground.



Garden post with base plate

Mounting with base plate

For outdoor installations on hard surface areas such as terraces, patios or driveways, the Niko Hydro garden post comes with a base plate that can be fixed to the ground.




Niko Hydro garden post essential

Enjoy easy power access in your garden with two pre-wired horizontal socket outlets. Place it in soft subsoil, such as grass or flower beds. Ideal for charging tools, remote working in the garden, or connecting lights.

Niko Hydro garden post



Niko Hydro garden post essential





Product overview

Flush-mounting boxes

Reference number				Product
grey	white	black	suffix	description
700-	701-	761-	73000	Splashproof single flush-mounting box for one function
700-	701-	761-	74000	Splashproof double vertical flush-mounting box for two functions
700-	701-	761-	75000	Splashproof double horizontal flush-mounting box for two functions

Surface-mounting boxes

Reference number				Product
grey	white	black	suffix	description
700-	701-	761-	83101	Splashproof single surface-mounting box with two single flexible inputs for one function
700-	701-	761-	83201	Splashproof double vertical surface-mounting box with two single flexible inputs for two functions
700-	701-	761-	84101	Splashproof single surface-mounting box with one M20 input for one function
700-	701-	761-	84102	Splashproof single surface-mounting box with one double M20 input for one function
700-	701-	761-	84111	Splashproof single surface-mounting box with two single M20 inputs for one function
700-	701-	761-	84112	Splashproof single surface-mounting box with one double M20 input and one single M20 input for one function
700-	701-	761-	84151	Splashproof single surface-mounting box with one M20 input with cable gland for one function
700-	701-	761-	84152	Splashproof single surface-mounting box with one double M20 input with cable glands for one function
700-	701-	761-	84161	Splashproof single surface-mounting box with one M20 input with cable gland at the top and bottom for one function
700-	701-	761-	84162	Splashproof single surface-mounting box with one double M20 input with cable gland and one single M20 input with cable gland for one function
700-	701-	761-	84201	Splashproof double vertical surface-mounting box with one M20 input for two functions
700-	701-	761-	84202	Splashproof double vertical surface-mounting box with one double M20 input for two functions
700-	701-	761-	84211	Splashproof double vertical surface-mounting box with two single M20 inputs for two functions
700-	701-	761-	84212	Splashproof double vertical surface-mounting box with one double M20 input and one single M20 input for two functions
700-	701-	761-	84302	Splashproof threefold vertical surface-mounting box with one double M20 input for three functions
700-	701-	761-	84352	Splashproof vertical threefold surface-mounting box with one double M20 input with glands for three functions
700-	701-	761-	84251	Splashproof double vertical surface-mounting box with one M20 input with cable gland for two functions
700-	701-	761-	84252	Splashproof double vertical surface-mounting box with one double M20 input with cable glands for two functions
700-	701-	761-	84261	Splashproof double vertical surface-mounting box with one M20 input with cable gland at the top and bottom for two functions
700-	701-	761-	84262	Splashproof double vertical surface-mounting box with one double M20 input with cable gland and one single M20 input with cable gland for two functions
700-	701-	761-	84801	Splashproof double horizontal surface-mounting box with one M20 input for two functions
700-	701-	761-	84802	Splashproof double horizontal surface-mounting box with one double M20 input for two functions
700-	701-	761-	84851	Splashproof double horizontal surface-mounting box with one M20 input with cable gland for two functions
700-	701-	761-	84852	Splashproof double horizontal surface-mounting box with one double M20 input with cable glands for two functions
700-	701-	761-	84902	Splashproof threefold horizontal surface-mounting box with one double M20 input for three functions
700-	701-	761-	84952	Splashproof horizontal threefold surface-mounting box with one double M20 input with cable glands for three functions



Surface-mounting boxes with socket outlets

Reference number					Product
grey	white	black	plug-in terminals	screw terminals	description
700-	701-	761-	37753	37748	Splashproof double horizontal wall socket with pin earthing, shutters; includes surface-mounting box with one input on the upper side
700-	701-	761-	37754	37749	Splashproof double horizontal wall socket with pin earthing, shutters; includes surface-mounting box with two inputs on the upper side
700-	701-	761-	37735	37730	Splashproof double vertical wall socket with pin earthing, shutters; includes surface-mounting box with two inputs on the upper side
700-	701-	761-	37845	37842	Splashproof double vertical surface-mounting socket outlet 16 A/250 Vac with shutters and pre-wired – includes box with one M20 input with cable gland
700-	701-	761-	37835	37832	Splashproof double vertical surface-mounting socket outlet 16 A/250 Vac with shutters and pre-wired – includes box with two M20 inputs with cable gland
700-	701-	761-	37846	37848	Splashproof double horizontal surface-mounting socket outlet 16 A/250 Vac with shutters and pre-wired – includes box with one M20 input with cable gland
700-	701-	761-	37832	37838	Splashproof double vertical surface-mounting socket outlet 16 A/250 Vac with shutters and pre-wired – includes box with two M20 inputs with cable gland

Garden posts

Reference number				Product
grey	white	black	suffix	description
700-	701-	761-	36810	Splashproof garden post with spike for a single Niko Hydro function
700-	701-	761-	36910	Splashproof garden post with baseplate for a single Niko Hydro function
700-	701-	761-	36820	Splashproof garden post with spike for two Niko Hydro functions
700-	701-	761-	36920	Splashproof garden post with baseplate for two Niko Hydro functions
700-	701-	761-	36830	Splashproof garden post with spike for three Niko Hydro functions
700-	701-	761-	36930	Splashproof garden post with baseplate for three Niko Hydro functions

Garden posts with socket outlets

Reference number				Product
grey	white	black	plug-in terminals	description
700-	701-	761-	36615	Splashproof garden post with single socket outlet, pin earthing and spike
700-	701-	761-	36625	Splashproof garden post with double socket outlet, pin earthing and spike
700-	701-	761-	36635	Splashproof garden post with threefold socket outlet, pin earthing and spike
700-	701-	761-	36715	Splashproof garden post with single socket outlet, pin earthing and baseplate
700-	701-	761-	36725	Splashproof garden post with double socket outlet, pin earthing and baseplate
700-	701-	761-	36735	Splashproof garden post with threefold socket outlet, pin earthing and baseplate
700-	701-	761-	36815	Splashproof garden post with single socket outlet, side earthing and spike
700-	701-	761-	36825	Splashproof garden post with double socket outlet, side earthing and spike
700-	701-	761-	36835	Splashproof garden post with threefold socket outlet, side earthing and spike
700-	701-	761-	36915	Splashproof garden post with single socket outlet, side earthing and baseplate
700-	701-	761-	36925	Splashproof garden post with double socket outlet, side earthing and baseplate
700-	701-	761-	36935	Splashproof garden post, with threefold socket outlet, side earthing and baseplate

Garden post essential

Reference number		Product
black	suffix	description
761-	36655	Splashproof garden post essential with double socket outlet, side earthing, black
761-	36855	Splashproof garden post essential with double socket outlet 16 AX/250 Vac, side earthing, black, IP55
761-	36654	Splashproof garden post essential with double socket outlet, pin earthing, black

Switches and socket outlets

excluding flush-mounting box, surface-mounting box or garden post

















Reference number					Product
grey	white	black	plug-in terminals	screw terminals	description
700-	701-	761-	36605	36600	Splashproof socket outlet 16 A/250 Vac with pin earthing, shutters
700-	701-	761-	36805	36800	Splashproof socket outlet 16 A/250 Vac with side earthing, shutters
700-	701-	761-	36675	36670	Splashproof bike charging station 16 A/250 Vac with pin earthing, shutters
700-	701-	761-	36875	36870	Splashproof bike charging station 16 A/250 Vac with side earthing, shutters
700-	701-	761-	31205	31200	Splashproof two-pole switch 10 AX/250 Vac
700-	701-	761-	31605	31600	Splashproof two-way switch 10 AX/250 Vac
700-	701-	761-	31705	31700	Splashproof intermediate switch 10 AX/250 Vac
700-	701-	761-		31300	Splashproof two-pole switch 16 AX/250 Vac with screw terminals
700-	701-	761-		31616	Splashproof two-way switch 16 AX/250 Vac with screw terminals
700-	701-	761-	31505	31500	Splashproof two-circuit switch 10 AX/250 Vac
700-	701-	761-	32605	32600	Splashproof double two-way switch 10 AX/250 Vac
700-	701-	761-	37205	37200	Splashproof two-pole control switch 10 AX/250 Vac with transparent window, excluding lighting elements
700-	701-	761-	37605	37600	Splashproof two-way control switch 10 AX/250 Vac with transparent window, excluding lighting elements
700-	701-	761-	35905	35900	Splashproof roll-down shutter switch 10 AX/250 Vac, mechanically locked and galvanically isolated
700-	701-	761-	35915	35910	Splashproof roll-down shutter push button 10 A/250 Vac, mechanically locked and galvanically isolated
700-	701-	761-	30005	30000	Splashproof, illuminable push button 10 A/250 Vac with transparent window and a N.O. or N.C. contact
700-	701-	761-	33005	33000	Splashproof, non-illuminable single push button 10 A/250 Vac with 4 connection terminals and a N.O. or N.C. contact
700-	701-	761-	35105	35100	Splashproof, illuminable double push button 10 A/250 Vac with 2 N.O. or N.C. contacts
700-	701-	761-	35005	35000	Splashproof, non-illuminable double push button 10 A/250 Vac with 2 N.O. or N.C. contacts
700-	701-	761-		38700	Splashproof key switch 10 A with screw terminals
700-	701-	761-		38800	Splashproof key switch 16 A with screw terminals

Accessories

Reference number				Product
grey	white	black	suffix	description
700-	701-	761-	85000	Adapter frame with hinged lid suitable for 45 x 45 mm functions in splashproof mounting boxes
700-	701-	761-	38500	Splashproof blind plate
700-	701-	761-	84001	Splashproof M20 cable gland
700-	701-	761-	84000	Splashproof M20 blind plug
700-			30100	Bell symbol for splashproof control switches and splashproof illuminable push buttons
700-			30200	Lamp symbol for splashproof control switches and splashproof, illuminable push buttons
700-			30300	Key symbol for splashproof control switches and splashproof illuminable push buttons
700-			38100	Splashproof signalling device with transparent lens and LEDs (LED colour: red), white
700-			38200	Splashproof signalling device with transparent lens and LEDs (LED colour: white), white
700-	701-	761-	36709	Powder-coated baseplate for splashproof garden posts
700-			36609	Spike for splashproof garden posts
700-	701-	761-	36099	Powder-coated spare screw for splashproof garden posts



Functions

Bike charging station		Push button	
Socket outlet		Double push button	
Switch		Illuminable push button	
Double switch		Double illuminable push button	
Control switch		Roll-down shutter push button	
Roll-down shutter switch		Blind plate	
Key switch 10 A		Signalling device with white or red LEDs	
Key switch 16 A		Adapter frame with lid for 45x45mm devices (coax and RJ45 connections, dual smart USB-A charger, dual smart USB-A and USB-C charger)	







Belgian craftsmanship at its finest

Niko Hydro is a testament to our long-standing tradition of Belgian craftsmanship. All products are made in Belgium, from cutting and bending stainless steel to powder coating and assembly. By keeping design and manufacturing local, we uphold our commitment to delivering the quality and durability Niko products are known for — making them easy to install, use, and trust.

Enjoy a 4-year warranty

At Niko, we stand by the quality of our products. That's why our switching materials exceed the standard two-year legal warranty, offering a four-year guarantee. All products undergo rigorous inspections at every stage of production, ensuring peace of mind with every purchase.

Niko designs electr(on)ic solutions to enhance buildings to better suit the needs of the people who live and work in them. By using less energy, by improving light comfort and safety and by making sure all applications work together seamlessly. Buildings with Niko are more efficient, are controllable from a distance and interact within bigger ecosystems. Niko is a Belgian family business from Sint-Niklaas with 700 employees and 10 European branches.

At Niko, there is one question that keeps us busy every day: "How can we enhance buildings to better suit your needs?"

nv Niko sa
Industriepark West 40
9100 Sint-Niklaas
Belgium
sales.be@niko.eu
+32 3 778 90 00
www.niko.eu

niko

PF-1265-11