OVE Austrian Electrotechnical Association

Eschenbachgasse 9 | 1010 Wien | Austria

ZVR: 327279890 | www.ove.at

OVE Testing and Certification

Kahlenberger Str. 2A | 1190 Wien | Austria T +43 1 370 58 06 | certification@ove.at

Validity of ÖVE-Certificates can be checked at www.ove.at



Page 1 of 5

ÖVE-CERTIFICATE

including the entitlement to use the Austrian Safety Mark



Certificate No.: 9460-014-07 Valid from: 2021 02 16

until: 2023 02 16

The Austrian Electrotechnical Association (OVE) hereby grants the right to the company mentioned below to label the listed products with the Austrian Safety Mark.

NIKO N.V. Company:

> Industriepark-West 40 9100 Sint-Niklaas Belgium

Product: Switches for household and similar fixed installations, Series HYDRO

The products submitted by the applicant were type tested in accordance with the requirements of the technical standards and specifications listed in this certificate. OVE certifies the conformity of the listed products and those products manufactured strictly identical to the submitted ones (EN ISO/IEC 17067, Conformity Assessment Scheme Type 5).

The manufacturing process and the products are subject to ongoing surveillance based on harmonized European procedures. This certificate has been issued under the presumption and conditional on the fact that the applicant holds all necessary legal rights with regard to the product, presented for the testing and certification.

Results of testing are shown in file No(s):: 3444-1563/10-NA1

Österreichischer Verband für Elektrotechnik

Head of Testing and Certification

Digitally signed by W. Martin Email=w.martin@ove.at

Dipl.-Ing. W. Martin

Wien, 2021 01 20







Date: 2021 01 20 Page 2 of 5

Manufacturer:

NIKO N.V. Industriepark-West 40 9100 Sint-Niklaas Belgium

Factory location(s):

NIKO N.V. Industriepark-West 40 9100 Sint-Niklaas Belgium

Tested and certified according to:

OVE EN 60669-1:2019-04-01

This certificate is the basis for the EU Declaration of Conformity and the CE Marking by the manufacturer or his agent and shows the conformity of the certified product(s) with the listed standards as defined by the **EU Low-Voltage Directive 2014/35/EU**. For the presumption of conformity according to Art. 12 with the safety objectives according to Art. 3 of the Directive, transitional periods given in the Official Journal of the European Union have to be observed.

Product: Switches for household and similar fixed installations, Series HYDRO

Type designation: Trademark: Rating: 7**-31200+-31 NIKO Rated voltage: AC 250 V Rated current: 10 AX IP55 pattern 2 + single actuating member 7**-31300+-31 NIKO Rated voltage: AC 250 V Rated current: 16 AX pattern 2 16A + single actuating member 7**-31600+-31 NIKO Rated voltage: AC 250 V Rated current: 10 AX IP55

OVE Testing and Certification

pattern 6 + single actuating member





Date: 2021 01 20

Page 3 of 5

7**-31616+-31 NIKO

Rated voltage: AC 250 V Rated current: 16 AX

IP55

pattern 6 16A + single actuating member

7**-31700+-31 NIKO

Rated voltage: AC 250 V Rated current: 10 AX

IP55

pattern 7 + single actuating member

7**-31500+-350 NIKO

Rated voltage: AC 250 V Rated current: 10 AX

P55

pattern 5 + double actuating member

7-32600+-350** NIKO

Rated voltage: AC 250 V Rated current: 10 AX

IP55

pattern 6+6 + double actuating member

7**-31200+-37 NIKO

Rated voltage: AC 250 V Rated current: 10 AX

IP55

pattern 2 (control) + single actuating member

7**-37600+-37 NIKO

Rated voltage: AC 250 V Rated current: 10 AX

IP55

pattern 6 (control) + single actuating member

7**-35900+-350 NIKO

Rated voltage: AC 250 V Rated current: 10 AX

IP55

pattern 4 + double actuating member

7**-35910+-350 NIKO

Rated voltage: AC 250 V Rated current: 10 A

IP55

pattern 4 2xpush-button + double actuating member

7**-33000+-37 NIKO

Rated voltage: AC 250 V Rated current: 10 A

IP55

pattern 6 push-button + single actuating member

OVE Testing and Certification



Date: 2021 01 20

Page 4 of 5

7**-33000+-31 NIKO

Rated voltage: AC 250 V Rated current: 10 A

IP55

pattern 6 push-button + single actuating member

7**-35000+-350 NIKO

Rated voltage: AC 250 V Rated current: 10 A

IP55

pattern 6 push-button+6 push-button + double actuating member

7**-35000+-351 NIKO

Rated voltage: AC 250 V Rated current: 10 A

IP55

pattern 6 push-button+6 push-button + double actuating member





Date: 2021 01 20 Page 5 of 5

Boxes

7**-83101 7**-83201 7**-84101	surface mounting box for 1 function with membranes vertical surface mounting box for 2 functions with membranes
	surface mounting box for 1 function with 1 M20 entry
7**-84111	surface mounting box for 1 function with 2x1 M20 entry
7**-84102	surface mounting box for 1 function with 1x2 M20 entries
7**-84112	surface mounting box for 1 function with 1x2 M20 entries + 1 M20 entry
7**-84201	vertical surface mounting box for 2 functions with 1 M20 entry
7**-84211	vertical surface mounting box for 2 functions with 2x1 M20 entry
7**-84202	vertical surface mounting box for 2 functions with 1x2 M20 entries
7**-84212	vertical surface mounting box for 2 functions with 1x2 M20 entries + 1 M20 entry
7**-84302	vertical surface mounting box for 3 functions with 1x2 M20 entries
7**-84801	horizontal surface mounting box for 2 functions with 1 M20 entry
7**-84802	horizontal surface mounting box for 2 functions with 1x2 M20 entries
7**-84902	horizontal surface mounting box for 3 functions with 1x2 M20 entries
7**-73000	flush mounting box for 1 function
7**-74000	vertical flush mounting box for 2 functions
7**-75000	horizontal flush mounting box for 2 functions

7** can refer to the following colours:

700: grey701: white761: black

